



Paste and Juice Co.
شركة العصائر والمصنعات

P&J for Juice and Paste Co.

TECHNICAL SPECIFICATION SHEET



Page/of

1(3)

GUAVA PULP 200 Lt.		Specification No. 800	Edition 1	Effective date August 2017
Developed by Eng. AHMED FAWZY	Approved by Eng. AHMED FAWZY	Code nr HS 20098090		Product Code GP/AB200

GENERAL DESCRIPTION

Egyptian Guava Pulp

1. INGREDIENTS

The product is prepared by fresh and ripe Egyptian guava carefully selected to suit P&J specifications.

Additives

None permitted.

2. DETAILED TECHNICAL DATA

2a. PHYSICAL REQUIREMENTS

Brix (Soluble solids) at 20° C	8% ± 1
Viscosity Bostwick at 20°C	8 ± 1
Colour BCR a/b at 20°C	2.35 ± 0.05
Yellow tile	X 59.17- Y 61.20 – Z 42.71
Taste, aroma and flavour	Good taste and flavour characteristic of processed guava pulp. Free from off-odors and off-flavors
Texture	Homogenous and even in texture

2b. CHEMICAL REQUIREMENTS

pH at 20°C	not more than 4
Acidity	not more than 0.8 as anhydrous citric acid
Heavy metals In conformity with FAO/WHO and Egyptian food standards	
Pesticides In conformity with FAO/WHO and Egyptian food standards	
Radiation None.	
Preservatives None.	
GMO Free off GMO's.	



Paste and Juice Co.
شركة العصائر و العصارات



GUAVA PULP 200 Lt.		Specification No. 800	Edition 1	Effective date August 2017
Developed by Eng. AHMED FAWZY	Approved by Eng. AHMED FAWZY	Code nr HS 20098090	Product Code GP/AB200	

3. MICROBIOLOGICAL REQUIREMENTS

Pathogenic micro-organisms

None.

Micro-organisms which cause spoilage

None

ALLERGENS

None.

4. PACKAGING

4a. Primary

i. Aseptic bags

The product is aseptically filled in approximately 200 liter, metallised foil film bags (Scholle). The bags are examined concerning blown bags or any other type of damage. The product is then put into large polyethylene bags.

ii. Drums

The product is closed well and packed in about 200 kgs, clean steel drums, coated by food grade paint. All drums are cleaned before loading.

4b. Secondary

i. Palletisation

4 drums placed per pallet and each shall be fastened with a synthetic tape. Pallets are clean, undamaged and of good construction. Fumigation certificate or declaration that the wooden pallets are fully in poplar wood valid for non EU producers.

ii. Shrinkwrap

The drums are wrapped additionally with a shrinkwrap foil (approx. 50 cm long) to protect them from soiling and displacement

5. LABELLING

Each drum shall have the following information:

Name of company, address and trademark.

Name of product

Statement "Made in Egypt".

Production date

Durability (shelf life)

Net weight

Gross weight

Brix-value

Color

Drum's number



Paste and Juice Co.
شركة العصائر والمصنعات

P&J for Juice and Paste Co.

TECHNICAL SPECIFICATION SHEET



Page/of

3(3)

GUAVA PULP 200 Lt.

Specification No.
800

Edition
1

Effective date
August 2017

Developed by

Eng. AHMED FAWZY

Approved by

Eng. AHMED FAWZY

Code nr

HS 20098090

Product Code

GP/AB200

Storage conditions

The above mentioned information is written in Arabic and in one additional language

6. STORAGE CONDITIONS

The product must be stored at a temperature not higher than 18° C, protected from direct sunlight and heat, without having any noticeable change in product quality.

7. SHELF LIFE

Shelf life is 18 months when adhering to proper storage conditions.